

CUMULATIVE SUBJECT INDEX¹

Volumes 96–101

A

Aggregation

inductive expertise on partial recursive functions, **96**, 139

Agreement

Byzantine

expediting by shifting algorithms, **97**, 205

protocol with optimal message bit complexity, modular construction, **97**, 61

Algorithms

classification as inherently sequential, model for, applications to graph searching, **97**, 133

density-control, for doing insertions and deletions in sequentially ordered file in good worst-case time, **97**, 150

fault tolerant distributed, shifting for expediting Byzantine agreement, **97**, 205

online, construction of bandwidth function of graph, **100**, 178

parallel, *see* Parallel algorithms

polynomial time, for sentences over number fields, **97**, 262

sorting: worst case complexity of BOT-TOM-UP HEAPSORT variant, **97**, 86

symbolic model-checking, for μ -calculus: 10^{20} states and beyond, **98**, 142

universal forecasting type, **96**, 245

Ambiguity

in nondeterministic finite-state automata degree classification, **97**, 1
relationship to nondeterminism, **100**, 261

Approximation

independent set problem, complexity, **96**, 77

resolution, *see* Resolution approximation

Automata

finite

nonuniform networks, synchronization, **97**, 234

related problems, parallel complexity, **97**, 1

relationship of ambiguity to nondeterminism, **100**, 261

T -, structural, for modeling behaviors of synchronous systems, **97**, 97

B

Bandwidth

graph, function, online protocols for construction, **100**, 178

Behaviors

infinite, proof systems for, **99**, 178

Binary codes

construction from generalization of Zinoviev's technique, **98**, 132

Bisimulation

congruence

in Structured Operational Semantics, **100**, 202

weak, in CCS, characterization, **96**, 115

relativized, in compositional verification of protocols, **99**, 80

strong, in calculus of mobile processes, **100**, 41

Bits

message, optimal complexity, Byzantine agreement protocol with, modular construction, **97**, 61

Bounds

lower

on areas of multilective deterministic and nondeterministic VLSI-circuits, provision by branching programs, **96**, 168

on complexity of term matching problems, tightness, **101**, 33

¹ Boldface number indicates appropriate volume; lightface number indicates pagination.

Branching programs

- for providing lower bounds on areas of multilective deterministic and non-deterministic VLSI-circuits, **96**, 168

C

Calculus

- lambda, *see* Lambda calculus
- mu, symbolic, model-checking algorithm: 10^{20} states and beyond, **98**, 142
- pi

- mobile processes, theory
 - development, **100**, 41
 - natural expression of processes with changing structures, **100**, 1

Calculus of Communicating Systems

- expression of mobile processes: π -calculus, **100**, 1
- Milner's, weak bisimulation congruence in, characterization, **96**, 115

Calculus of constructions

- extended, with inductive types, **99**, 231

CCS, *see* Calculus of Communicating Systems

Circuits

- VLSI, multilective deterministic and non-deterministic, lower bounds on areas of, provision by branching programs, **96**, 168

Classes

- concept, efficient learning from examples in parallel, models, **96**, 179
- partial equivalence, extensionality, **98**, 211

Codes

- binary, *see* Binary codes
- and generic oracles and uniform machines, relationship, **96**, 65
- retrograde, relationship to bounded synchronization delay, **96**, 55

Commutativity

- free partial, monoids with, string matching problems over, **101**, 131

Complexity

- approximation of independent set problem, **96**, 77
- classes, characterization by general recursive definitions in higher types, **101**, 202

Kolmogorov, generic oracles, **96**, 65

message bit, optimal, Byzantine agreement protocol with, modular construction, **97**, 61

ordinal, recursive definitions, **99**, 123

parallel, finite-state automata problems, **130**, 1

results for Petri net problems, unified approach for derivation, **96**, 119

sequential and parallel, tight bounds for term matching problems, **101**, 33

stochastic games, **96**, 203

worst case, BOTTOM-UP HEAPSORT variant, **97**, 86

Computability

- over finite structures: query languages for hierarchic databases, **101**, 1

Computations

- distributed, *see* Distributed computing
- fixpoint, foundations: FIX-hyperdoctrines and FIX-logic, **98**, 171
- highly parallel, modulo number having only small prime factors, **96**, 95

Confluence

- typed β -reduction plus rewriting: application to polymorphic λ -calculus, **101**, 251

Congruence

- bisimulation
 - strong, in Structured Operational Semantics, **100**, 202
 - weak, in CCS, characterization, **96**, 115

Conversion

- analog-to-digital, predictive, for resistance to data outliers, **98**, 56

D

Databases

- hierarchic, query languages for, **101**, 1

Dataflow

- indeterminate primitives, expressive power, **98**, 99

Data outliers

- resistant predictive source encoding, for analog-to-digital conversion, **98**, 56

Data structures

- dynamic, LISP-like, lattice of graphs for abstract interpretation of, **101**, 70
- representation as processes: calculus of mobile processes, **100**, 1

Decision theory

- based generalization of Probably Approximately Correct model for neural net and other learning applications, **100**, 78

Decompositions

- ear, series-parallel graphs, parallel recognition, **98**, 41

Definitions

- general recursive, in higher types, characterization of complexity classes, by, **101**, 202
- recursive, ordinal complexity, **99**, 123

Delay

- bounded synchronization, relationship to retrograde codes, **96**, 55
- synchronization of nonuniform networks of finite automata, **97**, 234

Deletions

- and insertions, in sequentially ordered file in good worst-case time, density-control algorithm for, **97**, 150

Density control

- algorithm, for doing insertions and deletions in sequentially ordered file in good worst-case time, **97**, 150

Diagonalization

- delayed, general formulation, derivation of uniformity and fixed-point theorems from, **98**, 1

Distributed computing

- optimal placement of identical resources in tree, **96**, 1

Distributed protocols

- Byzantine agreement, with optimal message bit complexity, modular construction, **97**, 61

Domains

- dI, representation as prime information systems, **100**, 151
- Scott, representing using information systems, **100**, 151

E

Encoding

- source, predictive, resistant to data outliers, for analog-to-digital conversion, **98**, 56

Examples

- in parallel, learning concept classes from, **96**, 179
- positive structural, efficient learning of context-free grammars from, **97**, 23

Expressiveness

- indeterminate dataflow primitives, **98**, 99

Extensionality

- partial equivalence classes, **98**, 211

F

Factors

- prime, *see* Prime factors

Fields

- number, polynomial time algorithms for sentences over, **97**, 262

Files

- sequential, *see* Sequential files

Forecasting systems

- algorithmic simplicity: universal forecasting, **96**, 245

Formats

- tyft/tyxt*, in Structured Operational Semantics with bisimulation as congruence, **100**, 202

Fragments

- finite-rank, of second-order, λ -calculus, type reconstruction in, **98**, 228

Functions

- global, complexity classes of, characterization by general recursive definitions in higher types, **101**, 202
- partial recursive, aggregating inductive expertise on, **96**, 139,
- total computable, recursive and iterative definitions, classification, **99**, 123

G

Games

- stochastic, complexity, **96**, 203

Grammars

- context-free, efficient learning from positive structural examples, **97**, 23

Graphs

- heap, lattice for abstract interpretation of LISP-like dynamic structures, **101**, 70

online algorithms, bandwidth problems, **100**, 178
 searching, applications of model for classifying algorithms as inherently sequential, **97**, 133
 series-parallel, parallel recognition, **98**, 41

H

Hierarchies

database structures with, query languages for, **101**, 1

Hyperdoctrines

FIX-, and FIX-logic: foundations for fixpoint computations, **98**, 171

I

Index registers

k versus $k + 1$, and modifiable versus non-modifiable programs, effect on power of Random Access Machines, **101**, 123

Inference

inductive, machines, theories given by, aggregation, **96**, 139

Insertions

and deletions, in sequentially ordered file in good worst-case time, density-control algorithm for, **97**, 150

Interpretation

abstract

LISP-like dynamic structures, lattice of graphs for, **101**, 70
 for recursively defined types, in strictness analysis, **99**, 154

L

Lambda calculus

in characterization of complexity classes by general recursive definitions, **101**, 202
 encoding into π -calculus, **100**, 1
 polymorphic, categorical models, **99**, 1
 second-order, type reconstruction in finite-rank fragments, **98**, 228
 untyped, addition of algebraic rewriting, **101**, 251

Languages

functional, with recursively defined types, strictness analysis based on abstract interpretation, **99**, 154
 logic programming, probabilistic characterization, **101**, 150
 query, DL, for hierarchic databases, **101**, 1
 rational, determination of generalized star height, **101**, 219
 synchronous, denotational model encompassing relational and functional specification styles, **97**, 192

Lattice

graphs for abstract interpretation of LISP-like dynamic structures, **101**, 70

Laws

0-1, for infinitary logics, **98**, 258

Learning

concept classes from examples in parallel, models, **96**, 179
 efficient, context-free grammars from positive structural examples, **97**, 23

Learning applications

neural net and others, Probably Approximately Correct model, decision theoretic generalizations, **100**, 78

Logic

constructive, foundations for fixpoint computations: FIX-hyperdoctrines and FIX-logic, **98**, 171
 first-order, resolution approximation, **96**, 225
 FIX-, and FIX-hyperdoctrines: foundations for fixpoint computations, **98**, 171
 infinitary, and 0-1 laws, **98**, 258
 modal, PDL, for cyclic repeating, **101**, 103
 programming, probabilistic semantic characterization, **101**, 150

M

Machines

Aiken and von Neumann, comparison, **101**, 123
 inductive inference, theories given by, aggregation, **96**, 139
 Random Access, with k versus $k + 1$ index registers and modifiable versus non-modifiable programs, comparison, **101**, 123

- Turing, single-tape, deterministic simulation by random access machine in sublinear time, **99**, 109
 - uniform, and generic oracles and codes, relationships, **96**, 65
 - Matchings
 - string, associated problems over free partially commutative monoids, **101**, 131
 - term, associative, commutative, and associative-commutative problems, tight complexity bounds for, **101**, 33
 - Mobile processes
 - π -calculus
 - development of theory, **100**, 41
 - generalization of conventional process algebras in treating mobility, theory, **100**, 1
 - Models
 - algebraic, synchronous systems, **97**, 97
 - categorical, polymorphic λ -calculus, **99**, 1
 - for classifying algorithms as inherently sequential, with applications to graph searching, **97**, 133
 - for efficient learning of concept classes from examples in parallel, **96**, 179
 - checking, symbolic, for μ -calculus: 10^{20} states and beyond, **98**, 142
 - Monoids
 - free partially commutative, string matching problems over, **101**, 131
- N**
- Net
 - Petri, *see* Petri net
 - Networks
 - neural and other learning applications, Probably Approximately Correct model, decision theoretic generalizations, **100**, 78
 - nonuniform, of finite automata, synchronization, **97**, 234
 - Nondeterminism
 - expressive power of indeterminate data flow primitives, **98**, 99
 - relationship to ambiguity in finite automata, **100**, 261
 - Nonuniform link delay
 - synchronization with, networks of finite automata, **97**, 234
 - Numbers
 - fields, sentences over, polynomial time algorithms for, **97**, 262
 - having only small prime factors, highly parallel computations modulo, **96**, 95
- O**
- Operators
 - indeterminate fair merge, expressive power, **98**, 99
 - Optimization
 - combinatorial: complexity of approximation of independent set problem, **96**, 77
 - Oracles
 - generic, and uniform machines and codes, relationship, **96**, 65
- P**
- Parallel algorithms
 - highly parallel, modulo number having only small prime factors, **96**, 95
 - for learning concepts from examples, **96**, 179
 - for recognizing series-parallel graphs, **98**, 41
 - Parallel processing
 - highly parallel computations modulo number having only small prime factors, **96**, 95
 - Paths
 - Petri net, existence, unified approach for deciding, **96**, 119
 - Petri net
 - certain paths, existence, unified approach for deciding, **96**, 119
 - Placement
 - optimal, identical resources in tree, **96**, 1
 - Points
 - fixed, computations, foundations: FIX-hyperdoctrines and FIX-logic, **98**, 171
 - theorems, and uniformity theorem, derivation from delayed diagonalization, **98**, 1
 - Polymorphism
 - λ -calculus with, categorical models, **99**, 1
 - Prime factors
 - small, number having only, highly parallel computations modulo, **96**, 95

Primitives
 indeterminate data, expressive power, **98**, 99

Probably Approximately Correct
 decision theoretic generalizations for neural net and other learning applications, **100**, 78

Problems
 finite-state automata, parallel complexity, **97**, 1
 generalized star-height, results, **101**, 219
 independent set, approximation complexity, **96**, 77
 online graph bandwidth, **100**, 178
 string matching, over free partially commutative monoids, **101**, 131
 term matching, tight complexity bounds for, **101**, 33

Processes
 mobile, *see* Mobile processes

Processing, *see* Parallel processing

Programming
 logic, probabilistic semantic characterization, **101**, 150

Programs
 branching, *see* Branching programs

Protocols
 compositional verification with relativized bisimulation, **99**, 80
 distributed, *see* Distributed protocols

R

Reasoning
 probabilistic, in logic programming, **101**, 150

Reconstruction
 type, in finite-rank fragments of second-order λ -calculus, **98**, 228

Relations
 partial equivalence, extensional, **98**, 211

Repetition
 cyclic, of program α , modal logic for, **101**, 103

Resistance to outliers
 predictive analog-to-digital conversion for, **98**, 56

Resolution approximation
 first-order logics, **96**, 225

Resources
 identical, in tree, optimal placement, **96**, 1

Rewriting
 algebraic, addition to untyped λ -calculus, **101**, 251

S

Search
 breadth-first, in application of model for classifying algorithms as inherently sequential, **97**, 133

Semantics,
 structured operational, *see* Structured operational semantics

Sentences
 arithmetical, over number fields, polynomial time algorithms for, **97**, 262

Sequential files
 insertions and deletions in good worst-case time, density-control algorithm for, **97**, 150

Sequentiality
 inherent, model for classifying algorithms with, with applications to graph searching, **97**, 133

Sets
 independent, associated problem, approximation complexity, **96**, 77

Shifting
 between algorithms, for expediting Byzantine agreement, **97**, 205

Simulation
 deterministic, single-tape Turing machine by random access machine in sub-linear time, **99**, 109

Sorting
BOTTOM-UP HEAPSORT variant, worst case complexity, **97**, 86

Star height
 generalized problem, results, **101**, 219

States
 10^{20} and beyond, symbolic model-checking algorithm, **98**, 142

Strictness analysis
 via abstract interpretation, for recursively defined types, **99**, 154

Strings
 matching, associated problem over free partially commutative monoids, **101**, 131

Structured Operational Semantics

Plotkin's, characterization: importance of bisimulation as congruence **100**, 202

Structures

data, *see* Data structures

finite, computability over: query languages for hierarchic databases, **101**, 1

ordinal, needed to verify termination of recursive definitions, complexity, **99**, 123

Synchronization

bounded delay, relationship to retrograde codes, **96**, 55

nonuniform networks of finite automata, **97**, 234

Systems

forecasting, *see* Forecasting systems

prime information, in determination of dI domains, **100**, 151

proof, for infinite behaviors, **99**, 178

synchronous

algebraic model, **97**, 97

reactive, denotational theory, **99**, 192

transition

labeled, in calculus of mobile processes, **100**, 41

specifications, general properties of classes of, in Structured Operational Semantics, **100**, 202

T

Tapes

single, Turing machine with, deterministic simulation by random access machine in sublinear time, **99**, 109

Theorems

completeness, for Modal Logic for Cyclic Repeating, **101**, 103

fixed-point and uniformity, derivation from delayed diagonalization, **98**, 1

Theories

decision, *see* Decision theory

denotational, of synchronous reactive systems, **99**, 192

iteration and feedback, algebraic model of synchronous systems, **97**, 97

Time

polynomial algorithms, for sentences over number fields, **97**, 262

worst-case, good, doing insertions and deletions in sequential file in, density-control algorithm for, **97**, 150

Trees

identical resources in, optimal placement, **96**, 1

Types

higher finite, general recursive definitions in, characterization of complexity classes, **101**, 202

inductive, extended calculus of constructions with, **99**, 231

reconstruction, in finite-rank fragments of second-order λ -calculus, **98**, 228

recursively defined, abstract interpretation for, in strictness analysis, **99**, 154

U

Uniformity

theorem, and fixed-point theorems, derivation from delayed diagonalization, **98**, 1

V

Verification

compositional, protocols, with relativized bisimulation, **99**, 80

W

Worst-case analysis

complexity of BOTTOM-UP HEAPSORT variant, **97**, 86

Z

Zinoviev's technique

generalization, in construction of binary codes, **98**, 132